	4	×	

A METI AD								WE	TLAB	Orde	er ID.	1912	100	37			
WETLAB WESTERN ENVIRONMENTAL									Sparks Control #								
TESTING LABORATORY Specializing in Soil, Hazardous Waste and Water Analysis.										Elko Control #							
475 E. Greg Street #119 City of Yerington NV - SDW 2019 Compliance Monitoring 1084 Lamoille Highway Lel (775) 777-9933									LV Control #								
																	tel (775) 777-9933 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
tel (702) 475-8899 I	Page 1 of 1																
Client City of Yerington Nevada Public Works									Turnaround Time Requirements								
Address 215 Trowbridge Road									5 Day* (25%) 72 Hour* (50%)								
City. State & Zip Yerington, NV 89447							2000000000	r* (100%)	*	Surcha	24 H ges W	lour* (200 ill Apply	%)				
Contact Jay Flakus	100		A				Samples Collected From Report Results Via Which State?										
Phone 775-302-1155	Collector's	Name	Dennis	Becker			NVCA Other					PDF EDD					
Fax 775-463-2284	PWS/Proje	ecuNar	ne City of	Yering	ton			Yes No Other									
P.O. Number OPEN W-Dass			nber LY-0					to Regu		gency	?	Standar	d QC Req	uired?			
Email jayf@yerington.net	11101110	3011101	,		s	NO.	R POR				Requested						
Billing Address (if different	than Clie	nt Add	dress)		A	OF		T					\Box				
	Springer.				М	C			ll								
Address	A. Carlot				P	N			Ш								
City, State & Zip	智	7	8		L	Т	M.										
Contact		4				A	3		ll				11				
Phone F			tiv.		T	N	13.		ll				$ \cdot $				
Email jayf@yerington.net	un	b.	ŧ		Y	E	55		ll								
SAMPLE ID/LOCATION	Г	DATE	TIME	PRES	E	R	A						11	/Spl.			
TP ON ARCENIC TREATME		elia	08:15	5	DW	S	X	+				+	+	No.			
THE PROPERTY OF THE PROPERTY O	10	111	0.17	3	1.00	1		+-	Н	\dashv	\dashv	+	+	-H			
					-	\vdash	\vdash	+	Н	-	-	-	+				
18							\vdash	+-	Ш	_	-	_	+				
*							\perp	_	Щ		_	\perp	\perp				
- 1												5.					
										19"	12	2	П				
	3										07	1	\Box				
							\vdash	\top		-01	531	٠,					
		_			-		\vdash	+	\vdash	- ĭ	+	+	╅	-			
							ш						\perp				
Instructions/Comments/Special Requirements:																	
														8			
Sample Matrix Key** DW = Drinking Water WW = \	Nastewater SW	= Surfac	ce Water MW	= Monitoring	Well 5	SD = S	olid/Sludge	SO = S	oil HW	= Haz	ardous	Waste O	THER:	8			
*SAMPLE PRESERVATIVES: 1=Unpres	served 2=F	12804	3=NaOH	4=HCI	5=H	NO3	6=Na2	S2O3	7/2	nOAc	+Na	OH 8=	HCI/VC	A Vial			
Temp Custody Seal # of Containers D	DATE TIME Samples Relinquishe						ed By Samples Received By										
74°C Y N None 17	19 13	335	DEN	MIS	R	FO	VER		11	_	•		1	$\overline{\Lambda}$			
°C Y N None			- /-		Ŭ	Ç O,			V	4	_^						
°C Y N None						1,2		+			18						
°C Y N None		-						+		44	100						
WETLAB'S Standard Terms and Con-	ditions as	nh	loss weitt	on ner-	000	nt-	me-le			P				-4.00			
TELEBO Clandard Terms and Con-		piy un	iless Writt	en agre	eine	iits s	pecity	other	wise.	Pay	men	terms	are N	et 30.			

Client/Collector attests to the validity and authenticity of this (these) sample(s) and, is (are) aware that tampering with or intentionally mislabeling the sample(s) location, date or time of collection may be considered fraud and subject to legal action (NAC445.0636).

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

WETLAB will dispose of samples 90 days from sample receipt. Client may request a longer sample storage time for an additional fee.

301.2E Please contact your Project Manager for details.