-	С

						_				1000		10.	20	1.11	3
METLAB								- 1				D. 191			
WESTERN ENVIRONMENTAL	lizina in S	Sail Haze	ardoue Mas	te and \	Nater	· Δna	lveie		Spa	rks Co	ntrol #				
WESTERN ENVIRONMENTAL TOTAL Specializing in Soil, Hazardous Waste and Water Analyst 475 E. Greg Street #119 I f							yolo.		Elko	Cont	rol #				
tel (775) 355-0202 City of Yerington NV - SDW								LV Control #							
tel (775) 777-9933 1 1								Report Due Date							
3230 Polaris Ave., Suite 4 19038 tel (702) 475-8899 t.								Page 1 of 1							
Client City of Yerington Nevada Pub	olic Wo	rks								September 1		e Requirem	ents		
Address 215 Trowbridge Road							5.0	ay* (25	96)	Stan	dard	2 Hour* (50	1961	П	
City. State & Zip Yerington, NV 89447								Hour* (4 Hour* (20			
Contact Jay Flakus							100			lected F		s Will Apply	port Res	ults Via	
Phone 775-302-1155	Calleat	or's Non	_e Dennis	Becker	-		NVCA								
Fax 775-463-2284 13-19 MD							Other PDF E				E	00]		
P.O. Number OPEN NV -0255		TIME TO SERVICE	me City o				Re	Yes port to	Regul	No latory A	gency?	Other	ard QC	Require	d?
The second control of	PWS/P	roject Nu	_{imber} LY-0	1255-C	_	Ipriz-		Yes		No		Yes		No	
Email jayf@yerington.net	STRANDAGE STRAND				S	NO.			Analyses			Requested			_
Billing Address (if differen					A	C									ı
Company					P	0							-1		1
Address					L	N	21	111					- 1	1	l
City, State & Zip					E	A	ATE	7					- 1		
Phone F	ev.				Т	1	Y	H							
Email jayf@yerington.net	dx				Y	N E	F	7							
SAMPLE ID/LOCATION		DATE	TIME	PRES	E	R	5	5							Spl
TREATMENT PLANT TO	700	12/A	08:10	*	**	2				-	-	++	+	-	No.
	0.7	12/11	00.10	2,1	PU	-	×	_		-	-	-	-	+-	_
	-				-	_	\vdash	_		4		+		\perp	
							Ц								
													Т		
								П	\neg	\neg	\neg	\top	\top	+	
							\neg	ᅥ	ᅥ	\dashv	\top	++	+	+	\vdash
					\vdash	Н	\dashv	+	-	\dashv	+	++	+	╀	
					\vdash	Н	\dashv	\dashv	-	\dashv	-	+	-	-	_
					_		_	4	4	_	\perp	\perp			
													Т		
nstructions/Comments/Special Requirements:					N - 1 1-									-	
Sample Matrix Key** DW = Drinking Water WW = V	Vastewater S	SW = Suda	o Maine MIM/				24728	100		•					
SAMPLE PRESERVATIVES: 1-Uppres	oniod 0	LICCO	O N. O.	wontoning	vveii 3	D = 50	lid/Slud	ge SC) = Soi	HW	Hazardo	us Waste C	THER:_		_
SAMPLE PRESERVATIVES: 1=Unpres									03 7	7/=Zn/C	DAc+N	aOH 8=	HCI/V	OA V	ial
Containers	ATE	TIME Samples Relinquished					d By Samples Received By								
7.4°C Y N None 2 12	19/19	9/19 1385 DENNES BECKY					White						1		
°C Y N None															\neg
°C Y N None															\neg
°C Y N None															
WETLAB'S Standard Terms and Cond	litions	pply up	less writt-	n agra	mor	to -	10016								TENAN.
Client/Collector attests to the validity and authen	ticity of the	e (theca)	comple/	agree	men	us St	ecity	oth	ierw	ise. F	ayme	nt term:	s are	Net 3	0.
in the failure and dutilen	TOTAL OF UT	o tuitse)	aduudiers) ar	IT IS (BIO)	DWAF	a that	tomne	rein er i	salaha -		AT 11	and the state of the state of			

Cherico attests to the validity and authenticity of this (these) sample(s) and, is (are) aware that tampering with or intentionally mislabeling the sample(s) location, date or time of collection may be considered fraud and subject to legal action (NAC445.0636).

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

WETLAB will dispose of samples 90 days from sample receipt. Client may request a longer sample storage time for an additional fee.

301.2E